



Date: June 2, 2010
To: All Participating Bidders
From: Diane Cowan

ADDENDUM NO. 1
CONTRACT #2010-04, PIPE AND FITTINGS FOR 2010

We have had several questions on our original specifications, so we'd like to clarify 3 items. They are hi-lighted below.

The following items must be delivered by September 8th, 2010:

- 200 ft. 12" x 20' Class 52 DI Restrained Joint, Griffen Snap Lock w/Rubber Gaskets
- 6450 ft. 8" x 20' C900 DR18 PVC Pipe, w/Rubber Gaskets
- 100 ft. 16" x 20' Sch 40 Steel Casing Pipe, ASTM A139, Grade B or ASTM A53, Grade B
- 20 ea. 8" Casing Spacers (**Stainless Steel, Bolt on Style, Model CCS, Manufactured by Cascade Waterworks Mfg. Co. or Equal**)
- 12 ea. 2 Pc. CI Valve Box Screw Type 39"-60" Ext. w/Lid Marked "Reuse Water"
- 40 ea. 12" Series 1112 DSC Mega Lug Mechanical Joint Restraint w/Acc Standard MJ Gasket
- 325 ea. 8" C900 DR18 PVC Bell Harness
- 8 ea. 8" MJ Gate Valve Open Left / 2" Square Nut / 250 PSI
- 1 ea. 8" x 8" x 8" MJ Tee CL 350
- 5 ea. 12" x 12" x 12" MJ Tee CL 350
- 2 ea. 12" x 8" MJ Reducer CL 350
- 4 ea. 8" MJ 90 Degree Bend
- 16 ea. 8" MJ 45 Degree Bend
- 11 ea. 8" MJ 22.5 Degree Bend



UNIVERSITY AREA JOINT AUTHORITY

- 10 ea. 8" MJ 11.5 Degree Bend
- 104 ea. Series ~~4108 DSC~~ Mega Lug Mechanical Joint Restraint w/Acc Standard MJ Gasket **(2008 PV, for C900 DR18 PVC Pipe)**
- 2 ea. 8" x 6" MJ Reducer CL 350
- 2 ea. 6" MJ Gate Valves / Open Left / 250 PSI
- 8 ea. 6" Series 1106 DSC Mega Lug Mechanical Joint Restraint w/Acc Standard MJ Gasket
- 3 ea. 12" MJ Gate Valve Open Left / 2" Square Nut / 250 PSI
- 3 ea. 12" MJ Sleeves
- 7 ea. 12" MJ 45 Degree Bend
- 4 ea. 12" MJ 22.5 Degree Bend
- 2 ea. 8" MJ Cap CL350
- 2 ea. 12" MJ Cap CL350

The following items must be delivered by July 7th, 2010:

- 700 ft. 8" x 14' SDR35 Sewer Pipe w/Rubber Gaskets
- 350 ft. 6" x 14' SDR35 Sewer Pipe w/Rubber Gaskets
- 1620 ft. 4" x 20' "Belled End" SCH40 PVC Pipe, ASTM D1785 & ASTM F480 - #47675
- 20 ea. 8" x 6" SDR35 Wye
- 20 ea. 6" SDR35 BxS 45 Degree Bend
- 20 ea. 6" x 4" SDR35 x DWV Hub Adapter, Chamfer Spigot x Solvent DWV Hub
- 60 ea. 4" PVC DWV H x H x H Wye
- 65 ea. 4" PVC DWV H x H x H Tee Wye (Sweep Tee)
- 20 ea. 4" PVC DWV H x H Pee Trap
- 40 ea. 4" PVC DWV H x S 45 Degree Bend
- 100 ea. 4" PVC DWV H x FIPT Adapter
- 100 ea. 4" Countersunk PVC Cleanout Plug



UNIVERSITY AREA JOINT AUTHORITY

- 20 ea. 4" Flat or Mushroom Vent Cap
- 40 ea. 4" PVC DWV H x H Coupling
- 20 ea. 4" CI/PVC x CI/PVC Flexible Coupling
- 2 ea. 12" x 4" MJ Tee SSB DI CL 350
- 1 ea. 4" MJ 90 Degree Bend SSB CL 350
- 4 ea. 4" MJ Gate Valve Open Left / 2" Square Nut / 250 PSI
- 2 ea. 4" MJ Caps CL 350
- 4 ea. 2 Pc. CI Valve Box Screw Type, 39"-60" Ext. w/Lid Marked "Reuse Water"
- 2 ea. 12" MJ Sleeves
- 8 ea. 12" Series 1112 DSC Mega Lug Mechanical Joint Restraint w/Acc Standard MJ Gasket
- 24 ea. 4" Series 1104 DSC Mega Lug Mechanical Joint Restraint w/Acc Standard MJ Gasket **(20 ea. are Series 1104 DSC, 4 ea. are HDPE DR9)**
- 20 ft. 4" Class 52 Cement Lined, DI Pipe w/Rubber Gasket
- 3 ea. 4" MJ 45 Degree Bend SSB CL350
- 3 ea. 4" MJ 22.5 Degree Bend SSB CL350

We apologize for any confusion this may have caused. The bid opening date of June 7th, 2010 at 2 pm remains the same.

If you have any questions concerning this information, please contact me.