### UNIVERSITY AREA JOINT AUTHORITY

## INDUSTRIAL WASTEWATER DISCHARGE QUESTIONNAIRE INSTRUCTIONS: Please complete all sections. The completed and signed questionnaire should be mailed to the Sewer Authority Pretreatment Coordinator at University Area Joint Authority, 1576 Spring Valley Road State College, PA 16801-8499. Requests for confidential treatment of information provided herein shall be governed by procedures specified in 40 CFR Part 2. SECTION A - GENERAL INFORMATION 1. Company Name: 2. Mailing Address: Municipality: 3. Facility Address: (If different from mailing address) 4. Name and title of responsible official: Telephone No.: ( ) 5. Alternative person to contact concerning information provided herein: Name and Title: Telephone No.: ( 6. Check one: Existing Discharge If proposed discharge, anticipated date of discharge commencement: **Proposed Discharge** SECTION B - PRODUCT OR SERVICE INFORMATION 1. Provide a narrative description of the manufacturing, production, or service activities your firm conducts. Also identify those activities producing industrial waste: (Attach additional sheets if necessary.) 2. Indicate applicable Standard Industrial Classification (SIC) Code(s) for each process at your facility: (If more than one applies, list in descending order of importance.)

PAGE 2	Company Name:	
SECTION B - PRODUCT OR SERVICE II	NFORMATION (Cont'd)	
<ol> <li>List all materials, including industrial pro and cleaning agents (other than househ of such a list. (Attach additional sheets</li> </ol>	hold type) stored or used at this facility.	
MATERIAL	QUANTITY	USE
	(indicate units)	
	(	
<ol> <li>If your facility manufactures any of the pand any of these processes generate was activity (check all that apply).</li> </ol>	products or employs any of the manufa atewater or waste sludge, place a chec	cturing processes listed below, k beside the category or business
Aluminum Forming	Glass	Pharmaceuticals
Battery Manufacturing	Gum & Wood Chemicals	Plastic & Synthetic Materials
Coil Coating	Inorganic Chemicals	Plastics Processing
Copper Forming	Iron & Steel Manufacturing	Porcelain Enameling
Dairy Products	Leather Tanning and Finishing	Printing & Publishing
Electric & Electronic Components	Metal Finishing	Pulp & Paper Products
☐ Electroplating	Metal and Molding Casting	Rubber
Explosives Manufacturing	Nonferrous Metals	Slaughtering/Packing/Rendering
Fertilizer Products	Organic Chemicals	Soaps & Detergents
Food/Edible Products Processing	Paint & Ink Formulating	Steam Electric Power Generation
Ferroalloy Manufacturing Foundries	Pesticides Petroleum Refining	☐ Textile Mills ☐ Timber Products Processing
Foundries		[ Timber Froducts Frocessing
SECTION C	- PLANT OPERATIONAL CHA	RACTERISTICS
Shift Information: a. Number of shifts	s per work day:	∃     3
b. Work days:	☐ Monday     ☐ Tuesday       ☐ Friday     ☐ Saturday	Wednesday Thursday Sunday
c. Average number of employees per s	shift: 1 st 2	nd 3 rd
d. Shift start times:	1 st 2	nd 3 rd
e. Shift end times:	1 st 2	nd 3 rd
2. Is operation subject to seasonal variation	on: Yes No	
If "Yes", indicate: Months of peak op	peration	
Maximum wastew	ater flow (gallons per day)	
Does operation shutdown for vacation,     If "Yes", indicate period when shutdown		Yes No

## PAGE 3 Company Name: SECTION C - PLANT OPERATIONAL CHARACTERISTICS (Cont'd)

4.					nges or expansions planned durinsider production processes, as v	_	<u>-</u>			volumes or
		Yes		No	(If yes, attach a separate she expansions and their effects					changes or
5.	Are	any m	ater	als or	water reclamation systems in us	e or pi	anned?			
		Yes		No	(If yes, attach a separate she recovered, percent recovere for each process):			-		
6.		-			on Control and Countermeasure I ch a copy to this questionnaire.	Plan b	een prepared	for the facility?	Yes	□ No
					SECTION	I D	WATER U	SAGE		
					narily to Water usage; questions ock as many as are applicable.)	relatii	ng to Wastewa	iter generation are	Included in	SECTION E.
••				il;		ater Ut	ility (Specify):			
2.				vater b				***************************************		
3.	Wat	ter Se	rvice	Accou	unt Number(s):					
					(2)		(3)		(4)	
					(6)					
4.	lf w		sup	plied b	y landlord, give name and addre	ess:				
	Str	eet: _								
	City	y:						Zip Code:	***************************************	
5.	List	t estim	ated	avera	ge <u>water usage</u> on premises:					
		7/00			ESTIMATED AVG WATER USAGE		T/DF		_	TIMATED VATER USAGE
	,	TYPE			(gallons per day)		TYPE			ons per day)
	a.	Coolir	ng W	ater		9	. Plant & Equi	ipment Washdown		
	b.	Boiler	Fee	d		f.	Irrigation &	Lawn Watering	••••	
	c.	Proce	ss	•••••		9	. Other (Spec	ify):		
	d.	Sanita	ary .	•••••		h	. TOTAL of a	. through g	•••••	

## PAGE 4 SECTION D - WATER USAGE (Cont'd)

6. Li	ist averag	e volume of	wastewater	discharge	or water k	osses:
-------	------------	-------------	------------	-----------	------------	--------

	ESTIMATED AVERAGE VOLUME		ESTIMATED AVERAGE VOLUME
a. Municipal Sewer	(gallons per day)	e. Evaporation	(gallons per day)
b. Watercourse, Storm Drain, Ground		f. Contained in Product	
c. Waste Haulers	w	g. Other (Specify):	
d. Septic Tank		h. TOTAL of a. through g. (Should equal TOTAL in i	
<ul> <li>Attach a schematic water and wastewate including overflows. The diagram should accounted for. The schematic should al attached as Appendix B.</li> </ul>	d include a water balance	so that all water sources and d	ischarges are
List average water usage for each proced additional sheets if necessary.)	ss at the facility and result PROCESS A	ant average wastewater discha	PROCESS C
a. Process Description			
b. SIC			
c. Is Process (Check which applies)	Batch Continuous Both	Batch Continuous Both	Batch Continuous Both
d. If batch, number per day			***************************************
e. Average water use (gal/day)			
f. Average wastewater discharge (gal/d	ay)		
g. Peak wastewater discharge (gal/day	)		**************************************
h. Is wastewater discharge	Batch Continuous Both	Batch Continuous Both	Batch Continuous Both
i. If batch, number per day			
. Describe any water treatment or condition	oning processes utilized:	<del></del>	
			***************************************

## SECTION E - WASTEWATER INFORMATION

1.	Does this	facility discharge any wastewater OTHER THAN from restro	ooms and cafeterias?	
	Yes	If the answer to this question is "Yes", complete the rema	linder of the application.	
	☐ No	If the answer to this question is "No", you may skip to Sec	tion I, on page 11.	
2.	(Refer to	dicate the quantities of wastewater generated from the proc [SECTION D] Item 8.) Place an asterisk on any outfall disc any NPDES Permit Number for such discharges.		
			DISCHARGE VOLUME (gallons/day)	
		PROCESS		•
		A		
		B	-	
		C		
		Sanitary Wastes	<del>-</del>	-
		Boiler Blowdown		-
		Cooling Water, contact		-
		Cooling Water, non-contact	·····	_
		Plant and equipment washdown		-
		Air Pollution Control Liquid Waste		-
		Stormwater runoff to sanitary sewer	***************************************	-
		Other (Specify):	seeenon	_
		TOTAL (Should equal SECTION D Part 6 Total.)		=
		*NPDES Permit Number	***************************************	_
3.	Does you	ur facility have floor drains which tie into the sanitary sewer	system? Yes	No
		, please specify locations, drain sizes, and floor drain use. prevent the discharge of chemical spills or leaks to the san		
	·			
	Manager			
	***************************************			

	GE 6 CTION E - WASTEWATER	INFORMATION (Cont'd)	Company Name:		
l.		PA Categorical Pretreatment the items listed in SECTION and ards apply.			n't know
	Will the discharge comply v	with these standards?			
	concentrations in the waste used for new discharges.	ment Standards apply, please water before and after pretre Note that a certification of cor	atment in SECTION H	Part 3 of this form. I Standards signed by	Estimates may be a Certified
	Professional, and a Baselin See 40 CFR §403.12(b) for	ne Monitoring Report, must be details.	submitted if they have r	ot been previously su	pplied.
T.		SECTION F - S	EWER INFORMATIO	NC	
•	sequential reference number process wastewater itemize	available, or sketch of your pi er to each sewer starting with ed in <b>SECTION D</b> Part 8. Fo cal structures should be inclu	No. 1. Also show location reference and field original	on of possible sampling	ng points for
	By reference number, list siz additional information on a	ze, descriptive location and fl nother sheet.)	ow of each sewer shown	in item F-1. (If more	than 3, attach
	REFERENCE NUMBER SEWER S (inches		ATION OF SEWER DISCHARGE POINT	TYPE OF WASTE	AVERAGE FLOW (gallons/day)
	1, 2.				
	3.		·····	***************************************	
3.	Is Industrial waste segregat	ted from or combined with do	mestic waste?	Segregated [	Combined
١.	Will the industrial wastewat	ter discharge to the sewer sys	stem be continuously me	tered?	□ No
	If "Yes", please describe to	he metering facilities.			
		***************************************			
	<del></del>				_

# SECTION G – WASTEWATER PRETREATMENT 1. Is any form of pretreatment practiced at this facility? Yes No 2. Is any form of pretreatment planned for this facility within the next three years? Yes No 3. Please furnish process flow diagram for each existing or planned pretreatment system. Include a brief description of the facilities, process equipment by-products, by-product disposal method, concentrations, waste and by-product volumes, design and operating conditions.

### SECTION H - CHARACTERISTICS OF DISCHARGES

For each of the following, if it is used in your manufacturing or service activity, or generated as a product, by-product
or waste, check whether it is KNOWN or SUSPECTED to be present in your wastewater discharge. If it is used in your
facility but NOT discharged, check whether this has been confirmed by laboratory tests (NON-D) or not (Suspected).
Not checking any box serves as an indication that the substance is not present at this facility in any form.

i.	CHEMICAL METALS & INORGANICS	KNOWN PRESENT	SUSPECTED PRESENT	NON-D	SUSPECTED NOT PRESENT		KNOWN PRESENT	SUSPECTED PRESENT		SUSPECTED NOT PRESENT
	Antimony					Benzene		] [		П
	Arsenic		ă			Benzene, chloro				ă
	Asbestos			ō		Benzene, 1,2-dichio		_	ā	
	Beryllium					Benzene, 1,3-dichlo				
	Cadmium					Benzene, 1,4-dichlo	ro [		ō	
	Chromium					Benzene, 1,2,4-trich	loro [			
	Copper					Benzene, hexachlore	• [			
	Cyanide					Benzene, ethyl				
	Lead					Benzene, nitro				
	Mercury					Toluene				
	Nickel					Toluene, 2,4-dinitro				
	Selenium					Toluene, 2,8-dinitro				
	Silver					IV. PCBs				
	Thallium					PCB-1016				
	Zinc					PCB-1221				
1	. PHENOLS & CR	RESOLS				PCB-1232				
	Phenol(s)					PCB-1242				
	Phenol, 2-chloro					PCB-1248				
	Phenol, 2,4-dich					PCB-1254				
	Phenol, 2,4,6-tric	chlore 🗌				PC8-1260				
	Phenol, nentachi	loro 🗌				V. ETHERS (E)				
	Phenol, 2-nitro					E, bis chloromethyl	[			
	Phenol, 4-nitro					E, bis 2-chloroethyl	[			
	Phenol, 2,4-dinit					E, bis 2-chloroisopr	opyl [			
	Phenol, 2,4-dime	ethyl 🔲				E, 2-chloroethyl vin	yl [			
	m-Cresol, p-chic	oro 🗌				E, 4-bromophenyl p	shenyl [			
	o-Cresol, 4,6-dia	nitro 🖂	П	П	П	Bis 2-chloroethoxy	methane [	7	П	П

# PAGE 8 C SECTION H - CHARACTERISTICS OF DISCHARGES (Cont'd)

				SUSPECTED	ı				SUSPECTE
CHEMICAL KNOW	/N S	SUSPECTED		NOT	CHEMICAL KN	NWO	SUSPECTED		NOT
	NT	PRESENT	NON-D	PRESENT			PRESENT	NON-D	PRESENT
VI. NITROSAMINES					IX. POLYCYCLIC AROMAT	ics			
Nitrosamine, dimethyl					Acenaphthene				
Nitrosamine, diphenyl					Acenaphthylene				
Nitrosamine, di-n-propyl					Anthracene				
Benzidine					Benzo (a) anthracene				
Benzidine, 3,3-dichloro					Benzo (b) fluoranthene				
Hydrazine, 1,2-diphenyl					Benzo (k) fluoranthene				
Acrylonitrile					Benzo (ghi) perylene				
VII. HALOGENATED ALIPHA	rics				Benzo (a) pyrene				
Methane, bromo-					2-Chloronaphthalene				
Methane, chloro-					Chrysene				
Methane, dichloro-					Dibenzo (a,n,) anthracene				
Methane, chlorodibromo					Fluoranthene				
Methane, dichlorobromo					Fluorene				
Methane, tribromo					indeno (1,2,3-cd) pyrene				
Methane, trichloro					Naphthalene				
Methane, tetrachloro					Phenanthrene				
Methane, trichlorofluoro					Pyrene				
Methane, dichlorodifluoro					X. PESTICIDES				
Ethane, 1,1-dichloro					Acro <del>lei</del> n				
Ethane, 1,2-dichloro					Aldrin				
Ethane, 1,1,1-trichloro					BHC (Alpha)				
Ethane, 1,1,2-trichloro					BHC (Beta)				
Ethane, 1,1,2,1-tetrachloro					BHC (Gamma) or Lindan	• 🗌			
Ethane, hexachloro					BHC (Delta)				
Ethene, chloro					Chlordane				
Ethene, 1,1-dichloro					DDD				
Ethene, trans-dichloro					DDE				
Ethene, trichloro					TOO				
Ethene, tetrachloro					Dieldrin				
Propane, 1-2, dichloro					Endosulfan (Alpha)				
Propene, 2,4-dichloro					Endosulfan (Beta)				
Butadiene, haxachloro					Endosulfan Sulfate				
Cyclopentadiene, haxachlo	ro 🗆				Endrin				
VII. PHTHALATE ESTERS					Endrin Aldehyde				
Phthalate, di-c-methyl					Heptachlor				
Phthalate, di-n-ethyl					Heptachlor epoxide				
Phthalate, di-n-butyl					leophorone				
Phthalate, di-n-octyl					TCDD (or Dioxin)				
Phthalate, bis(2-ethylhexyl					Toxaphene				
Phthalate, butyl benzyl									<del>-</del>
			_						

### SECTION H - CHARACTERISTICS OF DISCHARGES (Cont'd)

2. Provide the information requested below for each substance listed. Also list below those substances indicated in Part 1 above, as being discharged or suspected of being discharged. If recent laboratory results are not available, collect representative composite samples of the industrial waste discharge and have the sample analysed for the listed items. Along with the analysis of the characteristics of the discharge, an estimate of wastewater flow on the day of sampling must be provided. Attach a copy of the laboratory report with this form. Be sure to include the date of the analysis, name of the laboratory performing the analysis, and the location(s) from which the sample(s) were taken. Attach sketches, plans, etc. as necessary. Attach additional sheets if necessary.

	SAMPLE		DISCHARGE CONCENTRATION		
0114540000000	NUMBER	TYPE		mg/l, μg/l, etc.)	
CHARACTERISTIC	OF SAMPLES	(GRAB OR	BEFORE PRETREATMENT	AFTER PRETREATMENT	
CHEMICAL COMPOUND	SAMPLES	COMPOSITE)	PRETREATMENT	PREIRCAIMENT	
5-Day Biochemical Oxygen Demand					
pH		[			
Beryllium	-				
Cadmium					
Chromium (hexavalent)					
Copper					
Lead					
Mercury					
Nickel					
Silver					
Zinc					
Cyanide					
Total Phenolics					
Benzene					
Chloroform					
Ethyl Benzene					
Toluene				Military and the second	
Methylene Chloride					
1,1,1 trichloroethane					
-y-y- diginglowing					
······					
	ı	I	1		

If there is no sampling manhole, please indicate where a sampling manhole could be installed. Provide appropriate drawings showing the location and details of the sampling manhole.

classified as Hazar	discharge to the sewer any wastes wardous Wastes under 40 CFR Part 26  Section I - Non-Discharged Wa	S1? Yes	sed of, would be
Name of Waste	lowing information on these wastes:  EPA Hazardous  Waste Number	Type of Discharge (Batch, Continuous)	Quantity Discharged (Kilograms per Month)
or §261.33(e) with an For each waste I separate sheet the fol	isted above as discharged in quant lowing: identify all hazardous cons g the most recent month; estimate r	ities greater than 100 kild tituents; estimate mass a	ograms per month, provide on a and concentration discharged in
and DER as required	stitutes the report required under 4 by that regulation. If discharge of c ile a similar report regarding those	different hazardous waste	es than those listed above occurs,
	stes are discharged to the sewer, th rietor, director, or other responsible	-	ust be signed by a corporate
designe	y that the industry named in this do od to reduce the volume and/or toxio hat it is economically practical."		
	(\$	Signature)	·
	<del></del>	Name) Please print	

NOTE: This program is subject to verification by inspection

LF

Company	Name:		
COLLIDALLE			

1. Are any wastes, by-products or sludges received or generated and not disposed in the sewer system?			SECTION I - NON-DISC	CHARGED WASTES	
QUANTITY PER YEAR		If "No	o", skip the remainder of SECTION I and go to SECTION	NJ on page 12.	em?   Yes   No
Waste Solvent     Paints     Acids and Alkalies     Oil       Plating Wastes     Plating Wastes     Plating Wastes     Pretreatment Sludge     Other (Specify):     Inks/Dyes     Other (Specify):     Inks/Dyes     Organic Compounds     Organic Compounds   Organic Compounds     Organic Compounds     Organic Compounds   Organic Compounds     Organic Compounds     Organic Compounds   Organic Compounds     Organic Compounds     Organic Compounds   Organic Compounds     Organic Compounds   Org			QUANTITY PER YEAR		<b>QUANTITY PER YEAR</b>
Waste Product			Waste Solvent	Paints	(11010010 01110)
Grease				Acids and Alkalies	
Pretreatment Sludge   Other (Specify):   Inks/Dyes			Oil	Plating Wastes	
Inks/Dyes			Grease	Pesticides	***************************************
Thinner			Pretreatment Sludge .	Other (Specify):	
Heavy Metals			Inks/Dyes		
Heavy Metals		П	Thinner		
Corganic Compounds  Describe method of storing these wastes, including storage locations, size and type of containers, and methods for containing leaks and spills. Attach a copy of a Spill Prevention Control and Countermeasure Plan (SPCC Plan) if available.  3. Does your company remove any of the above itemized wastes from the facility? Yes No Describe:  4. Are any of the above itemized wastes placed with trash for disposal? Yes No Describe:		П	Home Motolo		
2. Describe method of storing these wastes, including storage locations, size and type of containers, and methods for containing leaks and spills. Attach a copy of a Spill Prevention Control and Countermeasure Plan (SPCC Plan) if available.  3. Does your company remove any of the above itemized wastes from the facility?  Yes  No Describe:  4. Are any of the above itemized wastes placed with trash for disposal?  Yes  No Describe:  5. Does your company practice on site disposal for any of the above itemized wastes?  Yes  No		П	***************************************		
Describe:  5. Does your company practice on site disposal for any of the above itemized wastes?  Yes  No	3.			rom the facility?	☐ No
5. Does your company practice on site disposal for any of the above itemized wastes?    Yes   No	4.	Are a	iny of the above itemized wastes placed with trash for disp	osal? [] Yes [] No	
		Desc	cribe:		
	5.			ve itemized wastes?	s 🗌 No
					***************************************

ECTION I - NON-DISCHARGED WASTES (Cont'd)			
If an outside firm removes any of the ab	ove checked wastes, state the name(s) and address(es) of all haulers:		
1	2		
zip code:	zip code:		
Permit No. (if applicable):			
Does your facility require any Resource	Conservation and Recovery Act permits? Yes No		
- , ·			
EPA Generator Number:			
	SECTION J - CERTIFICATION		
I)	By individual named in SECTION A Part 4)		
	m familiar with the information submitted in this document and uiry of those individuals immediately responsible for obtaining the		
	lieve that the submitted information is true, accurate and complete.		
•	nalties, including the possibility of criminal prosecution under		
,	for providing false information to public officials acting in their		
official capacities.	<u>.</u>		
Date	Signature of Official		

## APPENDIX A-EXAMPLE OF A RAW MATERIAL INVENTORY

RAW MATERIAL	FREQUENCY AND AMOUNT USED	USE
Nickel Sulfate	75 GPD	Nickel Source in Plating Tank 1 and 4
Boric Acid	50 GPD	Cleaning Solution in Acid Cleantank (Ni Line)
Sodium Hypophosphate	10 GPD	Nickel Reducing Agent in Plating Tank 1
Citric Acid	25 GPD	Ni Chelating Agent in Plating Tank 1
Formaldehyde	40 GPD	Cu Reducing Agent in Plating Tank 2
Benzene	5 GPD	Cleaning Agent/Lab Solvent
Carbon Tetrachloride	5 GPD	Cleaning Solution (55 Gal Drums in Work Area)
Chloroform	Lab Quantities	Lab Solvent/Rinse Baths #2 & 8
Ethyl Benzene	Lab Quantities	Lab Solvent
Acetaldehyde	20 GPD	Cu Reducing Agent in Plating Tank 3
Sodium Cyanide	80 GPD	Cyanide "Strike" Source in Plating Tank 2
Chromic Acid	100 GPD	Chrome Source in Plating Tank 5
Copper Sulfate	100 GPD	Copper Sources in Plating Tank 3
Potassium Cyanide	40 GPD	Cyanide "Strike" Source in Plating, Tank 2
Trichloroethylene	20 GPD	Degreaser in Rinse Tanks 4, 5, 10 & 11
Acetone	Lab Quantities	Lab Solvent
Acetic Acid	20 GPD	Acid Cleaning Tank (Ni Line) & Dip Tank (Cu, Cr Line)
Sulfuric Acid	30 GPD	pH Adjustment in Neutralization Tank & Cyanide Destruction—TRMT Tank #2
Sodium Hydroxide	20 GPD	Alkaline Clean Tank 1 & 2 and Treatment Tanks 1 & 2 (pH Adjustment)
Nitro Benzene	Lab Quantities	Lab Reagent
Iron Sulfate	70 lbs/day	Coagulant and Intreatment Tanks 1 & 2
Coagulant Aid*	150 lbs/day	Aid in Coagulation & Precipitation in Treatment Tanks 1 & 2
Fluorene	5 GPD	Cleaning Agent Prior to Plating Tanks

Contains: Activited Silica Potassium Permanganate (Oxidant) Diethyl Pthalate

Appendix B

Example of a Water Flow Diagram

